

Hunterdon Medical Center Laboratory Procedure for BreathTek for *Helicobacter Pylori* Testing

The BreathTek for *Helicobacter Pylori* (UBT Kit) is useful in the initial diagnosis of active *H pylori* infection or for monitoring response to therapy in adults, and pediatrics patients 3 to 17 years old.

Allergies

The following ingredients are in the BreathTek breath test: **Pranactin-Citric, which contains mannitol, Phenylalanine, and Aspartame**.

Any patient with hypersensitivity to these ingredients should avoid taking this test and inform their ordering physician

Verify insurance coverage prior to making an appointment by calling your insurance company.

Schedule an appointment: 908-237-5529

BreathTek Testing Appointments: Monday through Friday 8:30 am – 2 p.m.

Testing is performed, by appointment only, at all HMC Laboratory Outpatient Collection Sites:

- Hunterdon Doctor's Office Building
- Bridgewater Medical Arts Building
- Clinton Health Campus
- Hawk Pointe Medical Office Building

PATIENT PREPARATION: Prior to testing

- 1. Patients should not have taken bismuth/Tritec, antibiotics, proton-pump inhibitors (e.g., Prilosec, Prevacid, Aciphex, Protonix, and Nexium) or Pepto-Bismol for **2 weeks** prior to testing. If these instructions are not followed, test results may be inaccurate.
- 2. Histamine 2-receptor antagonists (H[2]RAs) such as Pepcid, Tagamet, Axid, or Zantac should be discontinued for **24 to 48 hours** before the BreathTek UBT test is administered. If these instructions are not followed, test results may be inaccurate.
- 3. Carafate (sucralfate) does not interfere with the test. Use of antacids does not affect the accuracy of this assay.

PATIENT PREPARATION: Day of testing

- 1. This test can take approximately 30 40 minutes to administer, plan accordingly.
- 2. The patient should not have any food or drink at least 1 hour before administering the BreathTek UBT.

H_Pylori Pt Info 1 Dec 2020



H_Pylori Pt Info 1 Dec 2020