

## **Hunterdon Medical Center Laboratory**

## **Benzodiazepines**

**Note:** If there is a question as to a patient's **therapeutic compliance**, a serum test request for the specific drug of interest may be of assistance.

## **Approximate Detection Time**

\*Note: These are approximate detection times for the drug or metabolites in urine. The actual detection time depends on dose, frequency of use, and individual metabolism.

Benzodiazepines	Detection Time* up to
Long-Acting	
Diazepam as metabolites	10 days
Nordiazepam	10 days
Intermediate-Acting	
Alprazolam as metabolite	5 days
Lorazepam	5 days
Oxazepam	5 days
Temazepam	5 days
Chlordiazepoxide as metabolite	5 days
Clonazepam as metabolite	5 days
Flunitrazepam as metabolite	5 days
Short-Acting	
Triazolam as metabolite	2 days
Flurazepam as metabolite	2 days

Reference: Mayo Medical Laboratories, Drugs of Abuse Testing, Tools and References: October 2016.

## Benzodiazepine Aliases:

Ativan(Lorazepam)

Benzodiazepines

Chlordiazepoxide(Librium)

Dalmane (Flurazepam

Diazepam(Valium)

Flunitrazepam(Rohypnol)

Flurazepam(Dalmane)

Halcion(Triazolam)

Librium(Chlordiazepoxide)

Lorazepam(Ativan)

Oxazepam(Serax)

Restoril(Temazepam)

Rohypnol(Flunitrazepam)

Serax(Oxazepam)

UDRG\_UPAN 21 November 2016

Temazepam(Restoril)
Triazolam(Halcion)
Valium(Diazepam)
Xanax(Alprazolam)
7-Amino Flunitrazepam (Metabolite of Flunitrazepam) (Rohypnol)
Alprazolam (Xanax)
Hydroxy-Ethyl Flurazepam (Metabolite of Flurazepam)

UDRG\_UPAN 21 November 2016